

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S173	680	(gat\$3 prevent\$3) near6 signal\$1 with clock with address with data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:37
S175	28665	(gat\$3 prevent\$3) near4 (signal\$1 input \$1) with register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:38
S174	194	S173 same (register\$1 (register\$1 near3 bank))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:38
S179	3	S178 and 713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:39
S178	103	S176 and (register\$1 near4 (unused idl\$3 empty))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:39
S177	1774	S175 and (register\$1 near4 (unused idl\$3 empty))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:39
S176	1054	S175 same clock same address same data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:39
S184	38229	(prevent\$3 gat\$3 disabl \$3) near4 data near4 (input\$1 signal\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:41
S183	10229	(prevent\$3 gat\$3 disabl \$3) near4 address near4 (input\$1 signal \$1)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:41
S182	34279	(prevent\$3 gat\$3 disabl \$3) near4 clock near4 (input\$1 signal\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:41
S181	28556	(prevent\$3 gat\$3 disabl \$3) near4 address	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:41
S180	51725	(prevent\$3 gat\$3 disabl \$3) near4 clock	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:41
S187	3	S186 and 713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:42

S186	65	(S182 with register\$1) and (S183 with register \$1) and (S184 with register\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:42
S185	862	S182 and S183 and S184	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:42
S188	2573	register adj bank	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:53
S189	27	S188 with (input\$1 near4 (decoupl\$3 disconnect\$3 gat\$3 prevent\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:54
S190	5	(register adj bank) near6 unused	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 16:59
S192	27	(register adj bank) with (input\$1 near4 gat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:16
S191	0	(register adj bank) near6 disconnect\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:16
S193	41	(register\$1 near3 bank) same (input\$1 with clock with address with data)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:18
S196	137	S195 and (gat\$3 near4 clock\$1) with register \$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:32
S195	791	S194 with register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:32
S194	4053	gat\$3 near6 address near6 data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:32
S198	45	S195 same (gat\$3 near4 clock\$1) with register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:33
S197	8	S196 and 713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:33
S199	3042	power near3 (sav\$3 reduc\$4 decreas\$3 lower\$3 conserv\$5) with register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:37

S201	12	S200 and 713/3\$2.cds.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:38
S200	80	S199 same (gat\$3 disab \$3 prevent\$3 disconnect\$3) near4 input\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/19 17:38
S202	1	"5088023".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/20 17:07
S203	6	bus near5 (gat\$3 disconnect\$3 decoupl \$3 uncoupl\$3 tri-stat\$3 tristat\$3) with (register adj bank)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/20 17:30
S204	5915	bus with address with data with clock	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:24
S207	1	bus near5 gat\$3 near5 (register adj bank)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:25
S206	136	S204 and S205	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:25
S205	1469	bus near5 gat\$3 near5 register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:25
S208	3	S206 and 713/3\$2.cds.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:26
S210	179	S204 and S209	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:28
S209	1694	bus near5 (gat\$3 prevent\$3 disconnect \$3 decoupl\$3 de-coupl \$3 uncoupl\$3 un-coupl \$3) near5 (register\$1 (register adj bank))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:28
S212	155	S211 same (signal\$1 input\$1) near5 (disconnect\$3 gat\$3 disabl\$3 tri-stat\$3 tristat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:30
S211	1548	(register\$1 (register adj bank)) near5 isolat\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:30

S214	5	(register adj bank) near5 isolat\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:31
S213	106	S211 same (signal\$1 input\$1) near5 (disconnect\$3 gat\$3 disabl\$3 tri-stat\$3 tristat\$3) with (register \$1 (register adj bank))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:31
S215	0	bus near5 (tristat\$3 tri- stat\$3) with (register adj bank)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:33
S216	5	S213 same address same data same clock	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:34
S217	2	bus near5 (gat\$3 prevent\$3 disconnect \$3 decoupl\$3 de-coupl \$3 uncoupl\$3 un-coupl \$3) near5 (register adj bank)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:36
S218	2	bus near5 (gat\$3 prevent\$3 disconnect \$3 decoupl\$3 de-coupl \$3 uncoupl\$3 un-coupl \$3) near5 (register adj bank)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:38
S220	186	block\$3 near6 register \$1 with clock with address with data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:39
S219	14	(blocks blocking) near6 register\$1 with clock with address with data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:39
S222	16	S220 same (prevent\$3 disabl\$3 disconnect\$3 gat\$3 isolat\$3) near5 register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:40
S221	16	S220 same (prevent\$3 disabl\$3 disconnect\$3 gat\$3) near5 register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:40
S223	10279	register\$1 near6 (unused unneeded un- needed unnecessary idl \$3 empty)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:43

S224	241	S223 with (input\$1 signal\$1 bus) near5 (gat\$3 disabl\$3 disconnect\$3 decoupl\$3 uncoupl\$3 de-coupl\$3 un-coupl\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:44
S227	15	S224 and register with (input\$1 signal\$1 bus) with address with clock with data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:45
S226	32	S224 and (input\$1 signal\$1 bus) with address with clock with data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:45
S225	3	S224 same (input\$1 signal\$1 bus) with address with clock with data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:45
S230	9	S229 and (input\$1 signal\$1 bus) with address with clock with data	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:46
S229	114	S228 with (input\$1 signal\$1 bus) near5 (gat\$3 disabl\$3 disconnect\$3 decoupl\$3 uncoupl\$3 de-coupl\$3 un-coupl\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:46
S228	6301	register\$1 near6 (unused unneeded un-needed unnecessary idl\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:46
S233	143	S232 with (disconnect\$3 decoupl\$3 de-coupl\$3 uncoupl\$3 un-coupl\$3 gat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:48
S232	3713	register\$1 near6 (unused unneeded un-needed unnecessary un-needed)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:48
S231	3712	register\$1 near6 (unused unneeded un-needed unnecessary)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:48
S235	18	S232 with (disconnect\$3 decoupl\$3 de-coupl\$3 uncoupl\$3 un-coupl\$3 gat\$3 isolat\$3) near4 input\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:49

S234	145	S232 with (disconnect\$3 decoupl\$3 de-coupl\$3 uncoupl\$3 un-coupl\$3 gat\$3 isolat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 13:49
S237	3	S236 same S232	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 14:05
S236	426	(gat\$3 near4 address near4 data) with register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 14:05
S238	922	(register near3 (bank array file)) with (address near4 decod\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:00
S241	526	(register adj (bank array file)) with (address near4 decod\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:01
S240	186	S238 same (address data) near4 (gat\$3 disconnect\$3 prevent\$3 inhibit\$3 block\$3) with decod\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:01
S239	203	S238 same (address data) near4 (gat\$3 disconnect\$3 prevent\$3 inhibit\$3 block\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:01
S243	149	S238 same (address data) near4 (gat\$3 disconnect\$3 prevent\$3 inhibit\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:02
S242	18	S241 same (address data) near4 (gat\$3 disconnect\$3 prevent\$3 inhibit\$3 block\$3) with decod\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:02
S244	146	S238 same (address data) near4 (gat\$3 disconnect\$3 prevent\$3 inhibit\$3) with decod\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:03
S245	2	S238 same (decod\$3 near4 input\$1 near4 (gat\$3 disconnect\$3 prevent\$3 inhibit\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:04

S247	17	S246 and (decod\$3 logic) near3 address with (input\$1 near4 (gat \$3 prevent\$3 disabl\$3 disconnect\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:05
S246	225	(register adj2 (bank array)) with (decod\$3 logic) near3 address	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:05
S248	1718	(gat\$3 near4 input\$1) with (decod\$3 logic) near3 address	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:24
S249	17	S248 and (register adj2 (bank array)) with (address near3 (decod \$3 logic))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:25
S251	3	S250 and 713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:27
S250	158	register adj2 (bank array) with (address\$2 near3 decod\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:27
S253	16	S250 and S252	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:28
S252	4401	(address\$2 near3 decod \$3) near6 gat\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:28
S255	68	(register adj (bank array)) with address\$2 with data with clock	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:34
S254	1434	(register adj (bank array)) with address\$4	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:34
S256	1467	(address\$2 near3 decod \$3) with (gat\$3 near4 input\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:45
S257	1	S256 same (register adj (bank array)) with (address\$2 near3 decod \$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:46
S258	61494	register\$1 near3 (select \$3 enabl\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:47
S261	562	S260 same (address near3 (gat\$3 disconnect \$3 prevent\$3 disabl \$3))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:48

S260	12454	register\$1 near3 (select \$3 enabl\$3) with address	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:48
S259	1148	S258 same (register adj (bank array))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:48
S262	8	S261 same (register adj (bank array))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:49
S264	40	S263 with (register adj (bank array))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:50
S263	21046	address adj decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:50
S265	2	S264 same data same clock	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 17:51
S268	1	S267 same (register adj (array bank))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:03
S267	565	S266 with (gat\$3 near3 input\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:03
S266	21046	address adj decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:03
S270	46	S269 same (register adj (bank array))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:04
S269	16596	(logic block module unit) near5 address\$2 near5 decod\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:04
S271	16	S270 and (logic block unit module) with (input \$1 near4 gat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:05
S272	15	(register adj (array bank)) near4 (unused unneeded unnecessary)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:08
S273	23	(register adj (array bank)) near4 (disabl\$3 deactivat\$3 disconnect \$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:19
S275	3	"6845445".pn. "6345354".pn. "20040060015".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:29



S274	3	"6854445".pn. "6345354".pn. "20040060015".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:29
S279	3	"676691".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:38
S278	1	"0676691".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:38
S277	1	"2004051450".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:38
S276	0	2004051450,pn,	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:38
S280	2	"6623401".pn. "20060155911".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:39
S281	2	"6263401".pn. "20060155911".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:40
S284	0	(address\$2 near3 docod \$3) with (power near3 (reduc\$4 decreas\$3 lower\$3 sav\$3 conserv \$5))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:48
S283	0	(address\$2 near3 docod \$3) with (input\$1 near3 gat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:48
S282	0	(address\$2 near3 docod \$3) with (input\$1 near3 (disabl\$3 gat\$3 prevent \$3 tri-stat\$3 tristat\$3 disconnect\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:48
S286	14	S285 same (register near3 (bank array))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:49
S285	1406	(address\$2 near3 decod \$3) with (input\$1 near3 (disabl\$3 gat\$3 prevent \$3 tri-stat\$3 tristat\$3 disconnect\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:49
S290	36	S288 and (power near3 (sav\$3 decreas\$3 reduc \$4 lower\$3 conserv\$5))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:54
S289	0	S288 and 713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:54

S288	122	S287 same (register near3 (bank array))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:54
S287	2179	(address\$2 near3 decod\$3) with (signal\$1 near3 (disabl\$3 gat\$3 prevent\$3 tri-stat\$3 tristat\$3 disconnect\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/21 19:54
S293	19	S292 with decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 12:25
S292	320	(register adj bank\$1) near6 plurality	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 12:25
S291	2930	register adj bank\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 12:25
S295	19	S294 with decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 12:37
S294	320	(register adj bank\$1) near6 plurality	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 12:37
S297	0	S294 same (decoder near4 (each every own))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 12:53
S296	0	(register adj bank\$1) with (each every own) near3 decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 12:53
S298	12	(register adj bank\$1) with (power near3 (sav\$3 reduc\$4 decreas\$3 lower\$3 conserv\$5))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 12:54
S300	96	S299 with decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 13:02
S299	544	(enabl\$3 select\$3) near5 (register adj bank)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 13:02
S301	62	S299 same (address near3 decod\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 13:03
S302	14	("5093783"   "5115506"   "5388239"   "5640582"   "5655132"   "5712999"   "5737625"   "5751588").FN. OR ("5903919").URFN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/22 13:17

S303	40	register adj (bank\$1 array\$1) with (mak\$3 made caus\$3) near4 (inaccessible accessible unavailable available)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 14:36
S309	2	S305 and S306	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:44
S308	0	S307 and S305	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:44
S307	54	S306 with (transistor fet)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:44
S306	2915	disabl\$3 near4 decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:44
S305	283	S304 with plurality	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:44
S304	1797	register adj (bank\$1 array\$1 file) near4 second	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:44
S311	17	S310 same S306	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:51
S310	17628	register adj (bank\$1 array\$1 file)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:51
S312	172021	block\$3 near4 (signal \$1 input\$1 with (address near3 decod \$3))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:52
S314	6	S313 same transistor	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:53
S313	331	S312 same S310	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 15:53
S315	4	("4484268"   "5659785"   "5864689"   "6081884").PN. OR ("6351807").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/22 16:00
S316	5	("5568380"   "5684983"   "5852726"   "5900025"   "5956747").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/22 16:04

S317	6	("4633440"   "5276889"   "5761149"   "5996083"   "6188633").PN. OR ("6564331").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/22 16:09
S318	3891	(disab\$3 deactivat\$3) near5 decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 16:13
S319	2	S318 with (register adj (array bank file))	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 16:14
S320	696	(enabl\$3 disabl\$3 activat\$3 deactivat\$3) near5 (fet mosfet transistor) with decoder	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 16:23
S322	13	S320 and S310	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 16:24
S321	0	S320 same S310	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/22 16:24
S323	1	"4733346".pn.	USPAT	OR	OFF	2008/08/25 15:19
S326	65	S325 and 713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:02
S325	154	S324 with (power near3 control\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:02
S324	15845	status adj register	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:02
S328	6	S327 same (power near3 (control\$4 sav\$3 manag\$5 reduc\$4 decreas\$3)) near4 field \$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:24
S327	980	((status support) adj register) near6 field\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:24

S329	96	("4991078"   "5142684"   "5167024"   "5222239"   "5230074"   "5276889"   "5388265"   "5392437"   "5420808"   "5471625"   "5553244"   "5603037").PN. OR ("5996083").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/25 17:26
S330	152	(register near4 field\$1) with power	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:27
S331	33	S330 and 713/3\$2.ocls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:28
S333	35	S332 and 713/3\$2.ocls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:49
S332	64	(opcode op-code instruction) with (power near3 (control \$4 manag\$5) near3 register)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:49
S334	5	((status support) adj register) with (field\$1 near5 power)	US-PGPUB; USPAT; EPO	OR	OFF	2008/08/25 17:52

8/31/2008 6:22:42 PM

C:\Documents and Settings\jbae\My Documents\EAST\Workspaces  
\10561627\_reg\_gating.wsp